

Application Number 10/662,269  
Response to Office Action Mailed 2/26/2007

**Amendments to the Claims:**

This listing of claims will replace all prior versions, and listings, of claims in the Application:

**List of all pending claims:**

1- 3. (Canceled)

4. (Currently amended) The identification service system of claim 10 [1], further comprising:

a display device configured to communicate with said services system such that said display device displays captured image data corresponding to the location of said first identification device to the first user.

5. (Currently amended) The identification service system of claim 10 [1], further comprising:

means for displaying captured image data corresponding to the location of said first identification device to the first user.

6. (Currently Amended) The identification service system of claim 10 [1], further comprising:

a second identification device configured to communicate with said services system, said second identification device having a locator and a transmitter, said locator being configured to facilitate determining a location of said second identification device, said second identification device being further configured to store identification information, said identification information corresponding to a second user, said transmitter being configured to transmit information associated with the location of said second identification device and identification information corresponding to the second user to said services system such that said service interaction system provides information to the second user based, at least in part, on the location of said second identification device; and

wherein said image-capturing device is configured to simultaneously capture image data corresponding to the current location of said first identification device and a current location of said second identification device.

7. (Currently amended) The identification service system of claim 10 [1], wherein said services system includes a locating system, said locating system being configured to receive information associated with the location of said first identification device and identification information corresponding to the first user and, in response thereto, store information corresponding to the location of the first user.

8-9. (Canceled)

10. ~~(Currently Amended) The identification service system of claim 1,~~  
An identification service system for providing information to a user, said  
identification service system comprising:
- a first identification device having a locator and a transmitter, said locator  
being configured to facilitate determining a location of said first identification device,  
said first identification device being further configured to store identification  
information, said identification information corresponding to a first user, said  
transmitter being configured to transmit information associated with the location of  
said first identification device and identification information corresponding to the first  
user; and
- a services system configured to communicate with the first identification  
device, the services system being further configured to receive information  
associated with the location of the first identification device and identification  
information corresponding to the first user such that, in response thereto, the  
services system provides information to the first user based, at least in part, on the  
location of said first identification device;
- wherein the services system comprises an image capturing device positioned  
to acquire image data corresponding to a designated location, the image capturing  
device being independently located with respect to the first identification device and  
operative to acquire image data corresponding to a current location of the first  
identification device responsive to determining that the first identification device is  
located at the designated location; and
- wherein said services system includes a photo system, said photo system  
being configured to receive a request for acquiring image data from a user and, in  
response thereto, determine the location of the user and enable the image-capturing  
device to acquire image data corresponding to the location of the user.

11. (Original) The identification service system of claim 10, wherein said  
photo system receives said request for acquiring image data via said first  
identification device.

12. (Original) The identification service system of claim 10, wherein said photo system is configured to automatically determine the location of the user and automatically enable an image-capturing device to acquire image data corresponding to the location of the user when the location of the user corresponds to an area associated with the image-capturing device.

13-14. (Canceled)

15. (Currently Amended) The identification service system of claim 10 [1], wherein said services system includes a routing system, said routing system being configured to receive a request for routing from a first location to a second location from the first user and, in response thereto, determine the location of the user and access of the user corresponding to those locations to which the first user is authorized access for routing, and provide the first user with information corresponding to a proposed route for the first user to travel from the location of the user to the second location, the information being based, at least in part, on the access of the user.

16. (Original) The identification service system of claim 15, wherein said routing system is configured to provide the first user with an alert via said first identification device if said routing system determines that the first user is not travelling along the proposed route.

17. - 18. (Canceled)

19. (Currently Amended) ~~The identification service system of claim 1,~~  
An identification service system for providing information to a user, said  
identification service system comprising:
- a first identification device having a locator and a transmitter, said locator  
being configured to facilitate determining a location of said first identification device,  
said first identification device being further configured to store identification  
information, said identification information corresponding to a first user, said  
transmitter being configured to transmit information associated with the location of  
said first identification device and identification information corresponding to the first  
user, and
- a services system configured to communicate with the first identification  
device, the services system being further configured to receive information  
associated with the location of the first identification device and identification  
information corresponding to the first user such that, in response thereto, the  
services system provides information to the first user based, at least in part, on the  
location of said first identification device;
- wherein the services system comprises an image capturing device positioned  
to acquire image data corresponding to a designated location, the image capturing  
device being independently located with respect to the first identification device and  
operative to acquire image data corresponding to a current location of the first  
identification device responsive to determining that the first identification device is  
located at the designated location;
- wherein said services system includes a credit system, said credit system  
being configured to receive a request to access a credit account of the first user,  
determine whether the request is from the first user, and if the request is not from the  
first user, deny access to the credit account of the first user.

20. (Currently amended) ~~The identification service system of claim 1,~~

An identification service system for providing information to a user, said identification service system comprising:

a first identification device having a locator and a transmitter, said locator being configured to facilitate determining a location of said first identification device, said first identification device being further configured to store identification information, said identification information corresponding to a first user, said transmitter being configured to transmit information associated with the location of said first identification device and identification information corresponding to the first user; and

a services system configured to communicate with the first identification device, the services system being further configured to receive information associated with the location of the first identification device and identification information corresponding to the first user such that, in response thereto, the services system provides information to the first user based, at least in part, on the location of said first identification device;

wherein the services system comprises an image capturing device positioned to acquire image data corresponding to a designated location, the image capturing device being independently located with respect to the first identification device and operative to acquire image data corresponding to a current location of the first identification device responsive to determining that the first identification device is located at the designated location;

wherein said services system includes an emergency response system, said emergency response system being configured to receive a request from the first user via said first identification device, determine the location of the first user, and provide an emergency response to the location of the first user.

21-28. (Canceled)